



GOVERNMENT OF TAMIL NADU
DIRECTORATE OF PUBLIC HEALTH AND PREVENTIVE MEDICINE
பொது சுகாதாரம் மற்றும் நோய்த் தடுப்பு மருந்துத்துறை
SELF DECLARED SANITATION CERTIFICATE
(Issued under G.O.(Ms)No. 276 of Health and Family Welfare (AB2) Department dated
23.09.2024 on the basis of affidavit by the applicant)

Certificate Number : TN00125CHN11021
Organization Type : Educational Institutions
Name of the Organization : A M JAIN SCHOOL
Address : NO 2 GOVINDASWAMI STREET


Issued Date : 30-09-2025
Expiry Date : 29-09-2026

I, Ramachandran A M Jain owner/manager of the A M JAIN SCHOOL functioning as Educational Institutions located at Adambakkam in Chennai district hereby declare that

- This Self-Declared Sanitation certificate is valid from 30-09-2025 to 29-09-2026 and will be renewed every year prior to the expiry of the current certificate with updated information.
- Our premises can accommodate 2700 people/pupils and has 57 urinals and 133 toilets which is proportionate to the number of users, as per government norms.
- 11 Sanitation workers are deployed to clean the entire premises including Toilets, Common Area Spaces, etc., at regular intervals and proper record is maintained.
- The waste generated on our premises is properly processed and disposed of as per Solid Waste management Rules, 2016.
- There is no potential mosquito breeding area on the premises.
- The premises have adequate drinking water fountains on each floor of the premises.
- The self-declared certificate is displayed prominently on the premises along with the protocol

The Government reserves the right to inspect at any point of time and cause for rectification or cancel or suspend the certificate and take legal action if any conditions are violated.

Signature of the Owner/Manager



(அ) TN00125CHN11021 என்ற தனிப்பட்ட சான்றிதழ் எண்ணை
<https://www.tnesevai.in.gov.in/edistrict/CheckStatus/Certificate/> ல் உள்ளீடு செய்து சரிபார்க்கவும்.

(அல்லது)

(ஆ) கைப்பேசியில் பாரகொடு படிப்பான் மூலம் இணையதளத்தில் சரிபார்க்கவும்.
Genuineness of the certificate can be verified by.

(a)Keying in the unique certificate number TN00125CHN11021 in the URL

<https://www.tnesevai.in.gov.in/edistrict/CheckStatus/Certificate/>


(or)

(b)Reading the 2D barcode with mobile barcode reader and verify through online.

JAYASHREE VENKATRAMAN
PRINCIPAL
AGURCHAND MANMULL JAIN SCHOOL
No.2, Govindaswamy Steet,
Adambakkam, Chennai - 600 061.

KS Enviro Labs

An ISO 9001 : 2015 Certified Laboratory



REF: KSEL/SEP-4154/A/25-26



Sep 13th 2025

ANALYSIS REPORT

Client Name	M/S. AM Jain School
Client Name and Address	Meenambakkam, Chennai
Sample Description	Water
Source of Water	RO Water (Admin)
Sample Referenced By	M/S. Aqua Best care
Sample Drawn By	Client
Date of Sample Collected	11.09.2025
Date of Sample Commenced	12.09.2025
Date of Sample Completed	12.09.2025

S.No	Parameters	Unit	Results	Test Method (APHA 23 rd Edition 2017)	Limits as per IS:10500 -2012 Standards	
					Acceptable Limit	Permissible Limit in the absence of alternate source
01	Physical Appearance after Filtration	-	Clear	-	-	-
02	True Colour	Hazen	0	2120 B	5	15
03	Odour	-	Agreeable	2150 B	Agreeable	Agreeable
04	pH at 25°C	-	6.54	4500 H + B	6.5 – 8.5	6.5 – 8.5
05	Turbidity	NTU	BDL(DL:0.5)	2130 B	1	5
06	Electrical Conductivity at 25°C	Micromhos /cm	92.5	2510 B	-	-
07	Total Suspended Solids	mg/l	BDL(DL:1.0)	2540 D	-	-
08	Total Dissolved Solids	mg/l	55	2540 C	500	2000
09	Total Alkalinity (as CaCO ₃)	mg/l	20	2320 B	200	600
10	P-Alkalinity (as CaCO ₃)	mg/l	Nil	2320 B	-	-
11	Total Hardness (as CaCO ₃)	mg/l	11	2340 C	200	600
12	Calcium Hardness (as CaCO ₃)	mg/l	08	3500 - Ca B	-	-
13	Magnesium Hardness (as CaCO ₃)	mg/l	3.0	3500 - Mg B	-	-
14	Calcium (as Ca)	mg/l	3.2	3500 B	75	200
15	Magnesium (as Mg)	mg/l	0.7	2340 C	30	100
16	Total Iron (as Fe)	mg/l	BDL(DL:0.01)	3500 Fe-B	0.3	0.3

JAYASHREE VENKATRAMAN
PRINCIPAL



Ambedkar Salai, Madanandapuram, Porur, Chennai - 600 125

E-Mail : ksel@ksenviro.com | Website : ksenviro.com | Mobile No. 93606 67380, 86080 56098
No.2, Govindaswamy Street, Meenambakkam, Chennai - 600 061.

KS Enviro Labs

An ISO 9001 : 2015 Certified Laboratory



REF: KSEL/SEP-4154/A/25-26

Sep 13th 2025

S.NO	Parameters	Unit	Results	Test Method (APHA 23 rd Edition)	Limits as per IS:10500 -2012	
					Acceptable Limit	Permissible Limit in the absence of alternate source
17	Chloride (as Cl ⁻)	mg/l	21.2	4500 Cl B	250	1000
18	Sulphate (as SO ₄ ²⁻)	mg/l	01	4500 SO ₄ ²⁻ E	200	400
19	Carbonate Hardness (as CaCO ₃)	mg/l	11	2340 A	-	-
20	Non Carbonate Hardness(as CaCO ₃)	mg/l	0	2340 A	-	-
21	Silica Reactive (as SiO ₂)	mg/l	BDL(DL:0.1)	4500 SiO ₂ C	-	-
22	Free Residual Chlorine	mg/l	Nil	4500 Cl B	0.2	1.0

BDL: Below Detection Limit, DL: Detectable Limit,


Remarks:

The above submitted water **Sample Comply Drinking Water** specifications (Acceptable limits) as per IS: 10500: 2012 with respect to the above test conducted **only**.

****End of Test Report***
Authorized Signatory**

Note:

1. Reports shall not be reproduced, except in full, without the written approval of the laboratory.
2. Details as furnished by the client and Samples as supplied by the client.
3. Any clarifications / complaints of the report should be made in writing within 2 days from the date of test report.
4. Unless informed by the client the samples will not be retained for more than 7 days from the date of issue of this report.



No. 19, Ramya Nagar, Dr. Ambedkar Salai, Madanandapuram, Porur, Chennai - 600 125.

E-Mail : ksenvirolabs@gmail.com | Website : ksenvirolabs.com | Mobile No. 93606 67380, 86080 56098

KS Enviro Labs

An ISO 9001 : 2015 Certified Laboratory




REF: KSEL/SEP-4152/A/25-26

Sep 13th 2025

ANALYSIS REPORT

Client Name	M/S. AM Jain School
Client Name and Address	Meenambakkam, Chennai
Sample Description	Water
Source of Water	RO Water (A Block)
Sample Referenced By	M/S. Aqua Best Care
Sample Drawn By	Client
Date of Sample Collected	11.09.2025
Date of Sample Commenced	12.09.2025
Date of Sample Completed	12.09.2025

S.No	Parameters	Unit	Results	Test Method (APHA 23 rd Edition 2017)	Limits as per IS:10500 -2012 Standards	
					Acceptable Limit	Permissible Limit in the absence of alternate source
01	Physical Appearance after Filtration	-	Clear	-	-	-
02	True Colour	Hazen	0	2120 B	5	15
03	Odour	-	Agreeable	2150 B	Agreeable	Agreeable
04	pH at 25°C	-	6.52	4500 H + B	6.5 – 8.5	6.5 – 8.5
05	Turbidity	NTU	BDL(DL:0.5)	2130 B	1	5
06	Electrical Conductivity at 25°C	Micromhos /cm	72.4	2510 B	-	-
07	Total Suspended Solids	mg/l	BDL(DL:1.0)	2540 D	-	-
08	Total Dissolved Solids	mg/l	40	2540 C	500	2000
09	Total Alkalinity (as CaCO ₃)	mg/l	16	2320 B	200	600
10	P-Alkalinity (as CaCO ₃)	mg/l	Nil	2320 B	-	-
11	Total Hardness (as CaCO ₃)	mg/l	04	2340 C	200	600
12	Calcium Hardness (as CaCO ₃)	mg/l	02	3500 - Ca B	-	-
13	Magnesium Hardness (as CaCO ₃)	mg/l	02	3500 - Mg B	-	-
14	Calcium (as Ca)	mg/l	0.8	3500 B	75	200
15	Magnesium (as Mg)	mg/l	0.4	2340 C	30	100
16	Total Iron (as Fe)	mg/l	BDL(DL:0.01)	3500 Fe-B	0.3	0.3




No. 12, Ramya Nagar, Dr. Ambedkar Salai, Madanandapuram, Porur, Chennai - 600 125

E-Mail: ksenvirolabs@gmail.com | Website : ksenvirolabs.com | Mobile No. 93606 67380, 86080 56098

KS Enviro Labs

An ISO 9001 : 2015 Certified Laboratory



REF: KSEL/SEP-4152/A/25-26

Sep 13th 2025

S.NO	Parameters	Unit	Results	Test Method (APHA 23 rd Edition)	Limits as per IS:10500 -2012	
					Standards	
					Acceptable Limit	Permissible Limit in the absence of alternate source
17	Chloride (as Cl ⁻)	mg/l	15.5	4500 Cl B	250	1000
18	Sulphate (as SO ₄ ⁻²)	mg/l	01	4500 SO ₄ ⁻² -E	200	400
19	Carbonate Hardness (as CaCO ₃)	mg/l	04	2340 A	-	-
20	Non Carbonate Hardness(as CaCO ₃)	mg/l	0	2340 A	-	-
21	Silica Reactive (as SiO ₂)	mg/l	BDL(DL:0.1)	4500 SiO ₂ C	-	-
22	Free Residual Chlorine	mg/l	Nil	4500 Cl B	0.2	1.0

BDL: Below Detection Limit, DL: Detectable Limit,

Remarks:

The above submitted water **Sample Comply Drinking Water** specifications (Acceptable limits) as per IS: 10500: 2012 with respect to the above test conducted **only**.

****End of Test Report**
Authorized Signatory**

Note:

1. Reports shall not be reproduced, except in full, without the written approval of the laboratory.
2. Details as furnished by the client and Samples as supplied by the client.
3. Any clarifications / complaints of the report should be made in writing within 2 days from the date of test report.
4. Unless informed by the client the samples will not be retained for more than 7 days from the date of issue of this report.



No. 13, Ramya Nagar, Dr. Ambedkar Salai, Madanandapuram, Porur, Chennai - 600 125.

E-Mail : ksenvirolabs@gmail.com | Website : ksenvirolabs.com | Mobile No. 93606 67380, 86080 56098

KS Enviro Labs

An ISO 9001 : 2015 Certified Laboratory




REF: KSEL/SEP-4153/A/25-26

Sep 13th 2025

ANALYSIS REPORT

Client Name	M/S. AM Jain School
Client Name and Address	Meenambakkam, Chennai
Sample Description	Water
Source of Water	Ro Water (C Block)
Sample Referenced By	M/S. Aqua Best Care
Sample Drawn By	Client
Date of Sample Collected	11.09.2025
Date of Sample Commenced	12.09.2025
Date of Sample Completed	12.09.2025

S.No	Parameters	Unit	Results	Test Method (APHA 23 rd Edition 2017)	Limits as per IS:10500 -2012 Standards	
					Acceptable Limit	Permissible Limit in the absence of alternate source
01	Physical Appearance after Filtration	-	Clear	-	-	-
02	True Colour	Hazen	0	2120 B	5	15
03	Odour	-	Agreeable	2150 B	Agreeable	Agreeable
04	pH at 25°C	-	6.60	4500 H + B	6.5 – 8.5	6.5 – 8.5
05	Turbidity	NTU	BDL(DL:0.5)	2130 B	1	5
06	Electrical Conductivity at 25°C	Micromhos /cm	185.2	2510 B	-	-
07	Total Suspended Solids	mg/l	BDL(DL:1.0)	2540 D	-	-
08	Total Dissolved Solids	mg/l	102	2540 C	500	2000
09	Total Alkalinity (as CaCO ₃)	mg/l	46	2320 B	200	600
10	P-Alkalinity (as CaCO ₃)	mg/l	Nil	2320 B	-	-
11	Total Hardness (as CaCO ₃)	mg/l	13	2340 C	200	600
12	Calcium Hardness (as CaCO ₃)	mg/l	10	3500 - Ca B	-	-
13	Magnesium Hardness (as CaCO ₃)	mg/l	03	3500 - Mg B	-	-
14	Calcium (as Ca)	mg/l	4.0	3500 B	75	200
15	Magnesium (as Mg)	mg/l	0.7	2340 C	30	100
16	Total Iron (as Fe)	mg/l	BDL(DL:0.01)	3500 Fe-B	0.3	0.3




No. 45, Ramya Nagar, Dr. Ambedkar Salai, Madanandapuram, Porur, Chennai - 600 125.

E-Mail : ksenvirolabs@gmail.com | Website : ksenvirolabs.com | Mobile No. 93606 67380, 86080 56098

KS Enviro Labs

An ISO 9001 : 2015 Certified Laboratory



REF: KSEL/SEP-4153/A/25-26

Sep 13th 2025

S.NO	Parameters	Unit	Results	Test Method (APHA 23 rd Edition)	Limits as per IS:10500 -2012	
					Standards	
					Acceptable Limit	Permissible Limit in the absence of alternate source
17	Chloride (as Cl ⁻)	mg/l	26.9	4500 Cl B	250	1000
18	Sulphate (as SO ₄ ²⁻)	mg/l	05	4500 SO ₄ ²⁻ E	200	400
19	Carbonate Hardness (as CaCO ₃)	mg/l	13	2340 A	-	-
20	Non Carbonate Hardness(as CaCO ₃)	mg/l	0	2340 A	-	-
21	Silica Reactive (as SiO ₂)	mg/l	5.3	4500 SiO ₂ C	-	-
22	Free Residual Chlorine	mg/l	Nil	4500 Cl B	0.2	1.0

BDL: Below Detection Limit, DL: Detectable Limit,

Remarks:

The above submitted water **Sample Comply Drinking Water** specifications (Acceptable limits) as per IS: 10500: 2012 with respect to the above test conducted **only**.

****End of Test Report**
Authorized Signatory**




(Handwritten Signature)
20/09/25

JAYASHREE VENKATRAMAN
PRINCIPAL
AGURCHAND MANMULL JAIN SCHOOL
No.2, Govindaswamy Steet,
Meenambakkam, Chennai - 600 061.

Note:

1. Reports shall not be reproduced, except in full, without the written approval of the Laboratory.
2. Details as furnished by the client and Samples as supplied by the client.
3. Any clarifications / complaints of the report should be made in writing within 2 days from the date of test report.
4. Unless informed by the client the samples will not be retained for more than 7 days from the date of issue of this report.



(Handwritten Signature)

No.15, Pashamylam Nagar, Dr. Ambedkar Salai, Madanandapuram, Porur, Chennai - 600 125.

E-Mail : ksenvirolabs@gmail.com | Website : ksenvirolabs.com | Mobile No. 93606 67380, 86080 56098